

	Type	Hits	Search Text	DBs
1	BRS	116202	"455".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	22	resource\$1 with (QoS or quality adj of adj service) with load\$3 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	1	lowest adj determin\$4 adj load and lowest with data adj backlog adj threshold and highest with data adj backlog adj threshold and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	87	(load\$3 same (total adj forward adj ink adj power or total adj reverse adj link adj interference adj rise adj above adj thermal adj noise or total near6 users or number near4 data adj channels or number near4 spreading adj codes))and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	116202	"455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	1	(load\$3 adj condition same (total adj forward adj ink adj power or total adj reverse adj link adj interference adj rise adj above adj thermal adj noise or total near6 users or number near4 data adj channels or number near4 spreading adj codes)) and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	1	lowest adj determin\$4 adj load and lowest with data adj backlog adj threshold and highest with data adj backlog adj threshold and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	46	(load\$3 with (total adj forward adj ink adj power or total adj reverse adj link adj interference adj rise adj above adj thermal adj noise or total near6 users or number near4 data adj channels or number near4 spreading adj codes))and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	17	"455".clas. and cdma and (sch or supplemental adj channel) adj burst	US-PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/11/08 13:32	
2	BRS	L2	4	"455".clas. and cdma2000 and (sch or supplemental adj channel) adj burst	US-PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/11/08 13:59	
3	BRS	L3	1	load\$3 and qos and (decreas\$3 with (target adj data adj error adj rate)) and "455".clas.	US-PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/11/08 14:08	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
4	BRS	L4	1	(signal near3 noise near3 point with power) and qos and "455".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/11/08 14:13	
5	BRS	L5	1	(transmi\$5 with buff\$3 adj data with burst) and "455".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/11/08 14:18	
6	BRS	L6	3	(transmi\$5 with buff\$4 adj data with burst) and "455".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/11/08 14:18	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L7	4	(transmi\$5 with buff\$5 adj data with burst) and "455".clas.	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/11/0 8 14:20	
8	BRS	L8	1	(transmi\$5 with buff\$5 adj data with burst) with load\$3 and "455".clas.	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/11/0 8 14:29	
9	BRS	L9	6053	"455".clas. and burst	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/11/0 8 14:29	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	L10	71	(data adj rate) same (determin\$3 or select\$3) with (environment or load\$3 or capacity) and 9	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/11/0 8 14:42	
11	BRS	L11	17	(data adj rate) same (determin\$3 or select\$3) with (environment or load\$3 or capacity) and qos and 9	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/11/0 8 14:48	
12	BRS	L12	49	(data adj rate) same (determin\$3 or select\$3) with (environment or load\$3 or capacity) and (qos or load\$3) and 9	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/11/0 8 14:48	